

RUN II HANDBOOK

TABLE OF CONTENTS

1. INTRODUCTION AND SUMMARY.....	1.1
1.1 Tevatron Performance in Run Ib.....	1.3
1.2 Run II Performance Goals	1.6
1.2.1 Protons	1.6
1.2.2 Antiprotons	1.7
1.2.3 Luminosity Lifetime and Stacking Rate	1.8
1.3 Subsystem Performance Requirements.....	1.10
1.3.1 Linac/Booster.....	1.10
1.3.2 Antiproton Source.....	1.10
1.3.3 Recycler.....	1.10
1.3.4 Main Injector.....	1.11
1.3.5 Tevatron/Switchyard.....	1.11
1.4 Accelerator Improvement Plan.....	1.12
2. BOOSTER PERFORMANCE AND PROJECTIONS.....	2.1
2.1 Transverse Emittance vs. Intensity.....	2.1
2.2 Longitudinal Emittance vs. Intensity.....	2.2
2.3 Aperture	2.3
2.4 Damper Requirements	2.4
2.5 Booster Extraction to the Main Injector.....	2.5
2.6 Booster Losses.....	2.5
2.7 Booster Shielding.....	2.6
3. ANTIPROTON SOURCE PERFORMANCE AND PROJECTIONS.....	3.1
3.1 Current Performance and Required Improvements.....	3.1
3.1.1 Antiproton Source Performance.....	3.2
3.1.2 Antiproton Source Limitations and Required Improvements	3.5
3.2 Target Station Upgrades.....	3.6
3.2.1 Beam Sweeping System.....	3.6
3.2.2 Lithium Lens for Proton Beam.....	3.8
3.2.3 Pre-Target SEM	3.8
3.2.4 Lithium Collection Lens.....	3.8
3.2.5 Single-Turn Pulsed Magnet.....	3.10
3.2.6 Beam Dump.....	3.10
3.2.7 Radiation Safety Issues.....	3.10
3.2.8 Injection Line Transverse Aperture Increase.....	3.10
3.3 Debuncher Stochastic Cooling.....	3.11
3.3.1 Performance of the existing 2-4 GHz system.....	3.11
3.3.2 Overview of the new 4-8 GHz cooling systems.....	3.13
3.4 Stack-Tail System Upgrade	3.14
3.4.1 Overview.....	3.14
3.4.2 Lattice Modifications.....	3.15
3.4.3 Stack Tail Cooling System.....	3.22
3.4.4 Core cooling systems.....	3.29
3.5 Unstacking Scenario.....	3.36
4. Recycler (see TM-1991)	

5. MAIN INJECTOR PERFORMANCE GOALS	5.1
5.1 Project Overview.....	5.1
5.1.1 Role In The Fermilab III Program	5.2
5.1.2 Performance	5.3
5.1.3 Operational Modes	5.5
5.2 Lattice and Performance Simulations.....	5.7
5.2.1 Sources of errors.....	5.9
5.2.2 Closed orbit and betatron function errors	5.11
5.2.3 Tune versus amplitude and dynamic aperture results	5.13
5.3 Aperture	5.15
5.4 Transverse Emittance.....	5.15
5.5 Longitudinal Considerations and Emittance Projections.....	5.16
5.5.1 Proton Acceleration and Coalescing	5.16
5.5.2 Antiproton Acceleration	5.16
5.5.3 Antiproton Deceleration	5.16
5.5.4 Transition Crossing.....	5.17
5.6 Impedance and instabilities	5.23
5.6.1 Impedance budget and the microwave instability.....	5.23
5.6.2 Chromaticity and slow head-tail instability.....	5.24
5.6.3 Resistive wall instability.....	5.25
5.6.4 Coupled bunch instabilities	5.25
5.6.5 Transient beam loading.....	5.25
5.7 Damper requirements	5.26
5.7.1 Transverse dampers.....	5.26
5.7.2 Longitudinal dampers.....	5.28
5.8 RF Systems and Beam Loading Compensation.....	5.28
5.9 Intensity and Transmission Efficiency.....	5.30
5.10 Resonant Extraction.....	5.32
5.10.1 Half-Integer Resonant Extraction.....	5.32
5.10.2 Extraction Elements	5.33
5.10.3 Spill Regulation Elements	5.34
6. Tevatron Performance and Projections.....	6.1
6.1 Performance During Run Ib and Run II Goals	6.6
6.1.1 Comparison of Parameters for Run I and Run II.....	6.6
6.1.2 Transverse emittance.....	6.7
6.1.3 Longitudinal Emittance	6.9
6.2 Luminosity Leveling.....	6.9
6.3 Integrated Luminosity and Store Lifetime	6.11
6.3.1 Experience in Run Ib	6.11
6.3.2 Predictions for Run II	6.15
6.3.3 Intrabeam Scattering	6.18
6.4 Collider Fill Steps (Shot Setup).....	6.20
6.4.1 Tevatron at 150 GeV and Proton Injection.....	6.20
6.4.2 Antiproton Injection.....	6.21
6.4.3 Acceleration.....	6.22
6.4.4 Low Beta Squeeze	6.22
6.4.5 Beam Halo Scraping	6.23
6.4.6 Proton Removal	6.23
6.4.7 Low Beta Unsqueeze	6.23
6.4.8 Antiproton Deceleration	6.23
6.4.9 Antiproton Extraction.....	6.24
6.5 Run II Tevatron Lattice Issues.....	6.24
6.5.1 Dispersionless Interaction Region.....	6.24
6.5.2 Individually Powering the Tune Quads in E and F sectors.....	6.27

6.5.3 Roman Pots at D0.....	6.27
6.5.4 Interaction Point Orbit Control	6.28
6.5.5 Differential Coupling Feed-down Circuit	6.29
6.6 Injection of 36 proton and antiproton bunches.....	6.35
6.6.1 Injection at F0	6.35
6.6.2 Injection Sequence	6.37
6.6.3 Tevatron Injection Kickers.....	6.39
6.6.4 Short Batch Proton Injection Kicker.....	6.40
6.6.5 Injection Bumper Magnet	6.45
6.7 Energy of 1 TeV	6.46
6.8 Collective Effects and Damper Requirements.....	6.48
6.8.1 Potential well distortion	6.48
6.8.2 Landau damping.....	6.48
6.8.3 Single bunch instabilities.....	6.49
6.8.4 Single beam, multi-bunch instabilities.....	6.50
6.8.5 Longitudinal Coupled-Bunch Instabilities.....	6.50
6.8.6 Tevatron Dampers.....	6.51
6.9 Beam-beam tune shift for 36×36 operations.....	6.53
6.10 Beam Halo Scraping.....	6.61
6.11 Antiproton Recycling from the Tevatron	6.65
6.11.1 Proton Removal.....	6.65
6.11.2 Antiproton Deceleration.....	6.67
6.12 Instrumentation.....	6.68
6.12.1 Initial Run II 36×36	6.69
6.12.2 Instrumentation for 132 ns Bunch Spacing.....	6.72
6.13 Warm Straight Section Allocation.....	6.73
6.13.1 List of devices by functionality	6.73
6.13.2 List of devices by straight sections	6.74
6.14 Operational Concerns	6.80
6.15 132 nsec Bunch Spacing.....	6.83
6.15.1 Kicker Considerations	6.83
6.15.2 Beam-Beam Considerations.....	6.84
6.16 High Temperature Superconducting Power Leads.....	6.100
6.17 Tev Spare Magnet Requirements.....	6.101
6.17.1 Tevatron Dipoles.....	6.102
6.17.2 Standard Tevatron Quadrupoles	6.106
6.17.3 Tevatron Spool Pieces	6.106
6.17.4 Low Beta Quadrupoles.....	6.107
6.18 C0 Collision Hall.....	6.107
6.19 Superconducting RF.....	6.111
6.19.1 Use of a Higher Frequency, higher voltage rf System.....	6.111
6.19.2 Effect of Crossing Angle and Bunch Length on Luminosity.....	6.111
6.19.3 Choice of Frequency and Voltage	6.112
6.19.4 Cavity Groups	6.112
6.19.5 Cryogenic Requirements.....	6.112
6.19.6 Power Amplifier	6.112
6.19.7 Steady State Beam Loading	6.113
6.19.8 Transient Beam Loading: Injection	6.114
6.19.9 Transient Beam Loading: Collisions	6.114
6.19.10 Effect of Higher Frequency rf on Intrabeam Scattering	6.115
6.19.11 Power Loss in the Beam Pipe	6.116
6.19.12 Summary of Cavity Specifications.....	6.116
6.20 Speculative Ideas.....	6.117
6.20.1 Electron Compression of Beam Beam Tune Shifts.....	6.117
6.20.2 Optical Stochastic Cooling.....	6.118
6.20.3 Electron Cooling in the Tevatron	6.118

7. OPERATING SCENARIOS.....	7.1
7.1 36 x 36 Collider Operations.....	7.1
7.1.1 Shot Setup	7.1
7.1.2 Accumulator to RR Antiproton Transfers	7.3
7.2 Beam Transfers and Synchronization	7.3
7.2.1 Proton transfers from Tevatron to MI	7.4
7.2.2 Antiproton deceleration.....	7.4
7.2.3 NUMI operation.....	7.4
7.2.4 120 GeV Fixed Target operation	7.4
7.2.5 Inject decelerated antiprotons from the MI via the MI-22 transfer line.....	7.4
7.2.6 Inject antiprotons from Accumulator via AP5 line	7.4
7.2.7 Inject protons from MI via MI-32 line.....	7.4
7.2.8 Extract protons to MI via MI-22 line.....	7.5
7.2.9 Extract antiprotons to MI via MI-32 line	7.5
7.2.10 Extract protons to the Accumulator via the AP5 line	7.5
7.2.11 Extract protons via MI-40 (dump).....	7.5
7.2.12 Transfer Synchronization.....	7.5
7.3 Transverse and Longitudinal Emittance Budget	7.6
7.3.1 Antiprotons - Transverse.....	7.6
7.3.2 Protons - Transverse.....	7.7
7.3.3 Antiprotons - Longitudinal.....	7.7
7.3.4 Protons - Longitudinal.....	7.8
7.4 Instrumentation and Controls Requirements.....	7.8
7.4.1 Software.....	7.8
7.4.2 Controls Upgrades.....	7.11
7.5 Main Injector Fixed-Target Operations.....	7.12